

BOBBY EVO LIGHTWEIGHT TRAVEL CHAIR

PRODUCT SPECIFICATIONS

Overall Length	86 cm or 34"
Overall Width (Wheel to Wheel)	53 cm or 21"
Overall Height	83 cm or 33"
Folded Length	66 cm or 26"
Folded Width (Wheel to Wheel)	28 cm or 11"
Folded Height	68.5 cm or 35"
Seat Depth	42 cm or 16.5"
Seat Width	43 cm or 17"
Seat Height (Floor to Seat Base)	48 cm or 19"
Arm Rest Height (Floor to Arm Rest)	68.5 cm or 27"
Back Rest Height	38 cm or 15"
Front Wheel Diameter	15 cm or 6"
Back Wheel Diameter	30.5 cm or 12"
Safe Working Load	120 kg
Overall Weight	15 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



BOBBY EVO LIGHTWEIGHT TRAVEL CHAIR



BOBBY EVO LIGHTWEIGHT TRAVEL CHAIR

PRODUCT OVERVIEW



Lightweight Travel Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

VERMEIREN LIGHTWEIGHT TRAVEL WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



FLIP UP ARM REST

Press button to release lock and flip up arm rest



DETACHABLE FOOTREST

Pull the lever to release lock and flip up arm rest



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

ECL X1-16 ECLIPS LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	91.5 cm or 36"
Overall Width (Wheel to Wheel)	63.5 cm or 25"
Overall Height	91.5 cm or 36"
Folded Length	91.5 cm or 36"
Folded Width (Wheel to Wheel)	29 cm or 11.5"
Folded Height	89 cm or 35"
Seat Depth	40.5 cm or 16"
Seat Width	45.7 cm or 18"
Seat Height (Floor to Seat Base)	43 cm or 17"
Arm Rest Height (Floor to Arm Rest)	66 cm or 26"
Back Rest Height	40.5 cm or 16"
Front Wheel Diameter	15.2 cm or 6"
Back Wheel Diameter	40.5 cm or 16"
Safe Working Load	115 kg
Overall Weight	13.2 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



ECL X1-16 ECLIPS LIGHTWEIGHT WHEELCHAIR



ECL X1-16 ECLIPS LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

VERMEIREN LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

ECL X1-24 ECLIPS LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	102.8 cm or 40.5"
Overall Width (Wheel to Wheel)	68.5 cm or 27"
Overall Height	91.4 cm or 36"
Folded Length	102.9 cm or 40.5"
Folded Width (Wheel to Wheel)	36.8 cm or 14.5"
Folded Height	72.3 cm or 28.5"
Seat Depth	40.5 cm or 16"
Seat Width	45.7 cm or 18"
Seat Height (Floor to Seat Base)	45.7 cm or 18"
Arm Rest Height (Floor to Arm Rest)	67.3 cm or 26.5"
Back Rest Height	43.1 cm or 17"
Front Wheel Diameter	15.2 cm or 6"
Back Wheel Diameter	60.9 cm or 24"
Safe Working Load	115 kg
Overall Weight	14 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

ECL X1-24 ECLIPS LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

VERMEIREN

ECL X1-24 ECLIPS LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

VERMEIREN LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

BOBBY ASTRO LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	94 cm or 37"
Overall Width	52 cm or 20.5"
Overall Height	90 cm or 35.4"
Folded Length	68 cm or 26.8"
Folded Width	30 cm or 11.8"
Folded Height	70 cm or 27.6"
Seat Depth	40 cm or 15.7"
Seat Width	42 cm or 16.5"
Seat Height	52 cm or 20.5"
Arm Rest Height	70.5 cm or 27.8"
Back Rest Height	38 cm or 15"
Front Wheel Diameter	15.3 cm or 6"
Back Wheel Diameter	30.5 cm or 12"
Safe Working Load	115 kg
Overall Weight	12.3 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



BOBBY ASTRO 12 LIGHTWEIGHT WHEELCHAIR



BOBBY ASTRO 12 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

For illustration purposes only

VERMEIREN LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



FLIP UP ARM REST

Press button to release lock and flip up arm rest



DETACHABLE FOOTREST

Pull the lever to release lock and flip up arm rest



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

BOBBY ASTRO LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	94 cm or 37"
Overall Width	52 cm or 20.5"
Overall Height	92 cm or 36.2"
Folded Length	68 cm or 26.8"
Folded Width	32 cm or 12.5"
Folded Height	70 cm or 27.6"
Seat Depth	40 cm or 15.7"
Seat Width	42 cm or 16.5"
Seat Height	52 cm or 20.5"
Arm Rest Height	71 cm or 28"
Back Rest Height	39 cm or 15.4"
Front Wheel Diameter	15.3 cm or 6"
Back Wheel Diameter	30.5 cm or 12"
Safe Working Load	115 kg
Overall Weight	13.5 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



BOBBY ASTRO 16 LIGHTWEIGHT WHEELCHAIR



BOBBY ASTRO 16 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

For illustration purposes only

VERMEIREN LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



FLIP UP ARM REST

Press button to release lock and flip up arm rest



DETACHABLE FOOTREST

Pull the lever to release lock and flip up arm rest



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FS804 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	82 cm or 32"
Overall Width (Wheel to Wheel)	43 cm or 16"
Overall Height	89 cm or 35"
Folded Length	71 cm or 28"
Folded Width (Wheel to Wheel)	21 cm or 8"
Folded Height	66 cm or 26"
Seat Depth	36.5 cm or 14.3"
Seat Width	41 cm or 16.1"
Seat Height (Floor to Seat Base)	45.5 cm or 18"
Arm Rest Height (Floor to Arm Rest)	65 cm or 25.5"
Back Rest Height	40 cm or 15.7"
Front Wheel Diameter	15.3 cm or 6"
Back Wheel Diameter	20 cm or 8"
Safe Working Load	75 kg
Overall Weight	7.2 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



FS804 LIGHTWEIGHT WHEELCHAIR



FS804 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW





Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium



LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES





FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides





FLIP UP ARM REST

Press button to release lock and flip up arm rest



DETACHABLE FOOTREST

Pull the lever to release lock and flip up arm rest



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FT6706 TRAVEL WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	83 cm or 32.7"
Overall Width (Wheel to Wheel)	50 cm or 19.6"
Overall Height	87 cm or 34.2"
Folded Length	27 cm or 10.6"
Folded Width (Wheel to Wheel)	48 cm or 18.9"
Folded Height	73 cm or 28.7"
Seat Depth	38 cm or 14.9"
Seat Width	40 cm or 15.7"
Seat Height (Floor to Seat Base)	48 cm or 18.9"
Arm Rest Height (Floor to Arm Rest)	67 cm or 26.3"
Back Rest Height	36 cm or 14.2"
Front Wheel Diameter	15.3 cm or 6"
Back Wheel Diameter	20.3 cm or 8"
Safe Working Load	100 kg
Overall Weight	8 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

FT6706 TRAVEL WHEELCHAIR



For illustration purposes only

FT6706 TRAVEL WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FLIP UP ARM REST

Flip up arm rest by pushing up



FLIP UP FOOT REST

Flip up foot rest by pushing up

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FS800 TRAVEL WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	84 cm or 33"
Overall Width (Wheel to Wheel)	46.5 cm or 18.3"
Overall Height	90 cm or 35.5"
Folded Length	32 cm or 12.5"
Folded Width (Wheel to Wheel)	46.5 cm or 18.3"
Folded Height	29.5 cm or 11.6"
Seat Depth	35 cm or 13.7"
Seat Width	39 cm or 15"
Seat Height (Floor to Seat Base)	49 cm or 19"
Arm Rest Height (Floor to Arm Rest)	70 cm or 27.5"
Back Rest Height	36 cm or 14.2"
Front Wheel Diameter	15.3 cm or 6"
Back Wheel Diameter	20 cm or 7.8"
Safe Working Load	80 kg
Overall Weight	7 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

FS800 TRAVEL WHEELCHAIR



For illustration purposes only

FS800 TRAVEL WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FLIP UP ARM REST

Flip up arm rest by pushing up



FLIP UP FOOT REST

Flip up foot rest by pushing up

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

KY863-12 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	81.5 cm or 32"
Overall Width (Wheel to Wheel)	58.5 cm or 23"
Overall Height	90 cm or 35.5"
Folded Length	77.5 cm or 30.5"
Folded Width (Wheel to Wheel)	30.5 cm or 12"
Folded Height	65 cm or 25.5"
Seat Depth	36 cm or 14"
Seat Width	44.5 cm or 17.5"
Seat Height (Floor to Seat Base)	46 cm or 18"
Arm Rest Height (Floor to Arm Rest)	66 cm or 26"
Back Rest Height	46 cm or 18"
Front Wheel Diameter	15.3 cm or 6"
Back Wheel Diameter	30.5 cm or 12"
Safe Working Load	80 kg
Overall Weight	11 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

KY863-12 LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

KY863-12 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

KY9003 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	110 cm or 43.3"
Overall Width (Wheel to Wheel)	55 cm or 21.6"
Overall Height	90 cm or 35.5"
Folded Length	74 cm or 29.1"
Folded Width (Wheel to Wheel)	26 cm or 10.5"
Folded Height	63.5 cm or 25"
Seat Depth	40 cm or 15.7"
Seat Width	40 cm or 16"
Seat Height (Floor to Seat Base)	49 cm or 19.5"
Arm Rest Height (Floor to Arm Rest)	68 cm or 26.8"
Back Rest Height	44 cm or 17.5"
Front Wheel Diameter	13 cm or 5"
Back Wheel Diameter	20 cm or 8"
Safe Working Load	75 kg
Overall Weight	8 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



KY9003 LIGHTWEIGHT WHEELCHAIR



KY9003 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW




Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium


LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES




FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides




FLIP UP ARM REST

Press button to release lock and flip up arm rest



DETACHABLE FOOTREST

Pull the lever to release lock and flip up arm rest



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

PHW863-12 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	81.5 cm or 32"
Overall Width (Wheel to Wheel)	58.5 cm or 23"
Overall Height	91.5 cm or 36"
Folded Length	77.5 cm or 30.5"
Folded Width (Wheel to Wheel)	30.5 cm or 12"
Folded Height	65 cm or 25.5"
Seat Depth	37 cm or 14.5"
Seat Width	44.5 cm or 17.5"
Seat Height (Floor to Seat Base)	46 cm or 18"
Arm Rest Height (Floor to Arm Rest)	66 cm or 26"
Back Rest Height	46 cm or 18"
Front Wheel Diameter	15.5 cm or 6"
Back Wheel Diameter	30.5 cm or 12"
Safe Working Load	80 kg
Overall Weight	11.5 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

PHW863-12 LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

PHW863-12 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



FLIP UP ARM REST

Press button to release lock and flip up arm rest



STATIONARY HAND BRAKE

Push up to unlock and down to lock



ANGLE ADJUSTMENT

Press the button to pull

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

PHW863-20 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	94 cm or 37"
Overall Width (Wheel to Wheel)	65 cm or 25.5"
Overall Height	91.5 cm or 36"
Folded Length	84 cm or 33"
Folded Width (Wheel to Wheel)	34.5 cm or 13.5"
Folded Height	63.5 cm or 25"
Seat Depth	37 cm or 14.5"
Seat Width	43.5 cm or 17"
Seat Height (Floor to Seat Base)	46 cm or 18"
Arm Rest Height (Floor to Arm Rest)	67 cm or 26.5"
Back Rest Height	46 cm or 18"
Front Wheel Diameter	15.3 cm or 6"
Back Wheel Diameter	51 cm or 20"
Safe Working Load	90 kg
Overall Weight	12 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

PHW863-20 LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

PHW863-20 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with detachable foot rests for easier patient transfer.
- Foldable back rest for easy storage
- Ventilated and cushioned seat upholstery
- Aircraft grade aluminium lightweight frame
- Designed in Belgium

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FS863-12 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	95 cm or 37.4"
Overall Width (Wheel to Wheel)	59 cm or 23.2"
Overall Height	90 cm or 35.4"
Folded Length	79 cm or 31.1"
Folded Width (Wheel to Wheel)	32 cm or 12.6"
Folded Height	66 cm or 26"
Seat Depth	39.5 cm or 15.6"
Seat Width	45 cm or 17.7"
Seat Height (Floor to Seat Base)	48 cm or 18.9"
Arm Rest Height (Floor to Arm Rest)	65 cm or 25.6"
Back Rest Height	45 cm or 17"
Front Wheel Diameter	15.2 cm or 6"
Back Wheel Diameter	30.5 cm or 12"
Safe Working Load	80 kg
Overall Weight	10.5 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



FS863-12 LIGHTWEIGHT WHEELCHAIR



FS863-12 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with flip up arm rest and foot rest for easier patient transfer
- Foldable back rest for easy storage
- Made with beathable woven nylon seat
- Comes with lightweight aluminium frame

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock



ANGLE ADJUSTMENT

Press the button to pull

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FS863-16 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	106 cm or 41.7”
Overall Width (Wheel to Wheel)	58 cm or 22.8”
Overall Height	89 cm or 35”
Folded Length	76 cm or 29.9”
Folded Width (Wheel to Wheel)	29 cm or 11.4”
Folded Height	64 cm or 25.2”
Seat Depth	39.5 cm or 15.6”
Seat Width	45 cm or 17.7”
Seat Height (Floor to Seat Base)	48 cm or 18.9”
Arm Rest Height (Floor to Arm Rest)	64 cm or 25.2”
Back Rest Height	45 cm or 17.7”
Front Wheel Diameter	15.2 cm or 6”
Back Wheel Diameter	40.5 cm or 16”
Safe Working Load	85 kg
Overall Weight	10.5 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

FS863-16 LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

FS863-16 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with flip up arm rest and foot rest for easier patient transfer
- Foldable back rest for easy storage
- Made with beathable woven nylon seat
- Comes with lightweight aluminium frame

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock



ANGLE ADJUSTMENT

Press the button to pull

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates. The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FS863-207-16 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	94 cm or 37"
Overall Width (Wheel to Wheel)	57.7 cm or 22.7"
Overall Height	91.4 cm or 36"
Folded Length	78.7 cm or 31"
Folded Width (Wheel to Wheel)	31 cm or 12.2"
Folded Height	64 cm or 25"
Seat Depth	40 cm or 15.7"
Seat Width	46 cm or 18"
Seat Height (Floor to Seat Base)	48.3 cm or 19"
Arm Rest Height (Floor to Arm Rest)	64 cm or 25"
Back Rest Height	44.5 cm or 17.5"
Front Wheel Diameter	15.2 cm or 6"
Back Wheel Diameter	40.5 cm or 16"
Safe Working Load	85 kg
Overall Weight	10.5 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

FS863-207-16 LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

FS863-207-16 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with flip up arm rest and foot rest for easier patient transfer
- Foldable back rest for easy storage
- Made with beathable woven nylon seat
- Comes with lightweight aluminium frame

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock



FLIP UP ARM REST

Pull the lever to release lock and flip up arm rest

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FS863-207-20 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	104 cm or 40.9”
Overall Width (Wheel to Wheel)	65 cm or 25.6”
Overall Height	90 cm or 35.4”
Folded Length	86 cm or 33.9”
Folded Width (Wheel to Wheel)	37 cm or 14.6”
Folded Height	70 cm or 27.6”
Seat Depth	39.5 cm or 15.6”
Seat Width	46 cm or 18”
Seat Height (Floor to Seat Base)	48 cm or 18.9”
Arm Rest Height (Floor to Arm Rest)	67 cm or 26.5”
Back Rest Height	46 cm or 18.1”
Front Wheel Diameter	15.3 cm or 6”
Back Wheel Diameter	50.9 cm or 20”
Safe Working Load	90 kg
Overall Weight	12.5 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

FS863-207-20 LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

FS863-207-20 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair with flip up arm rest and foot rest for easier patient transfer
- Foldable back rest for easy storage
- Made with beathable woven nylon seat
- Comes with lightweight aluminium frame

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock



FLIP UP ARM REST

Press button to release lock and flip up arm rest

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FS870 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	95 cm or 37.4"
Overall Width (Wheel to Wheel)	58 cm or 22.8"
Overall Height	86 cm or 33.9"
Folded Length	94 cm or 37"
Folded Width (Wheel to Wheel)	29 cm or 11.4"
Folded Height	72.5 cm or 28.5"
Seat Depth	39.5 cm or 15.6"
Seat Width	44.5 cm or 17.5"
Seat Height (Floor to Seat Base)	49 cm or 19.3"
Arm Rest Height (Floor to Arm Rest)	69 cm or 27.2"
Back Rest Height	37 cm or 14.5"
Front Wheel Diameter	17.8 cm or 7"
Back Wheel Diameter	38.1 cm or 15"
Safe Working Load	100 kg
Overall Weight	13 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

FS870 LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

FS870 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair for easier patient transfer
- Foldable back rest for easy storage
- Made with breathable woven nylon seat
- Comes with lightweight aluminium frame

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.

FS874 LIGHTWEIGHT WHEELCHAIR

PRODUCT SPECIFICATIONS

Overall Length	104 cm or 40.9"
Overall Width (Wheel to Wheel)	64 cm or 25.2"
Overall Height	86 cm or 34.7"
Folded Length	104 cm or 40.9"
Folded Width (Wheel to Wheel)	36 cm or 14.2"
Folded Height	72 cm or 28.4"
Seat Depth	40.6 cm or 16"
Seat Width	44.5 cm or 17.5"
Seat Height (Floor to Seat Base)	48 cm or 18.9"
Arm Rest Height (Floor to Arm Rest)	70 cm or 27.6"
Back Rest Height	36.8 cm or 14.5"
Front Wheel Diameter	17.8 cm or 7"
Back Wheel Diameter	61 cm or 24"
Safe Working Load	100 kg
Overall Weight	12 kg

Check our our full range of detachable wheelchair. When making comparisons, our best suggestion would be for you to think about your environment and consider how certain task like transferring someone is done before deciding.

Scan the QR code to find out more about the product. To scan, use your camera app or a QR code reader on your device.



WHEELCHAIRS | USER GUIDE

rainbow care

FS874 LIGHTWEIGHT WHEELCHAIR



For illustration purposes only

FS874 LIGHTWEIGHT WHEELCHAIR

PRODUCT OVERVIEW



Lightweight Wheelchair

- Easy to fold and operate
- Multi-function wheelchair for easier patient transfer
- Foldable back rest for easy storage
- Made with beathable woven nylon seat
- Comes with lightweight aluminium frame

LIGHTWEIGHT WHEELCHAIR

PRODUCT FEATURES



FOLDABLE BACKREST

Press on the lever to release and fold back rest downwards for both sides



STATIONARY HAND BRAKE

Push up to unlock and down to lock

For illustration purposes only

CARE INSTRUCTIONS

- When using the Wheelchair, please pay attention to people and/or items around to avoid collision.
- Lock the wheels before getting in and out of the Wheelchair.
- When getting in and out of the Wheelchair, please do not stand on the footplates.
- The footplates should be folded up / detached beforehand.
- Pay attention to the shift of the Center of Gravity when on elevated grounds.
- When passing through doors or arches, make sure that there is enough room to avoid causing injuries to the user, or the Wheelchair.
- Do not exceed the maximum safe working load.